



SAFETY DATA SHEET

Janitol Rapide

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Janitol Rapide

Product number 865558

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. . For full details regarding recommended uses please refer to the product label.

1.3. Details of the supplier of the safety data sheet

Supplier Quest Consumables Ltd
Stock House, Seymour Road
Nuneaton
CV11 4LB
Tel: +44 (0) 02476 322126
Fax: +44 (0) 02476 322117
Email: sales@questconsumables.com

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0844 8920111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) Xi; R36/38.

Environmental The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

2.2. Label elements

Pictogram



Signal word Danger

Janitol Rapide

Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	P102 Keep out of reach of children. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local regulations.
Contains	TETRASODIUM ETHYLENE DIAMINE TETRAACETATE, SODIUM HYDROXIDE, COCAMINE OXIDE
Detergent labelling	< 5% amphoteric surfactants, < 5% cationic surfactants, < 5% EDTA and salts thereof, < 5% non-ionic surfactants
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after handling. P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE			1-5%
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01-2119486762-27-XXXX	
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xn;R22 Xi;R41		

SODIUM HYDROXIDE			1-5%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-XXXX	
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) C;R35		

COCAMINE OXIDE			1-5%
CAS number: 68955-55-5	EC number: 931-341-1	REACH registration number: 01-2119489396-21-XXXX	
M factor (Acute) = 1			
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R38,R41. N;R50.		

Janitol Rapide

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE			0.375%
CAS number: 63449-41-2	EC number: 939-350-2	REACH registration number: 01-2119970550-39-XXXX	
M factor (Acute) = 10	M factor (Chronic) = 1		
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		Classification (67/548/EEC or 1999/45/EC) Xn;R21/22. C;R34. N;R50.	

TRISODIUM NITRILOTRIACETATE			<1%
CAS number: 5064-31-3	EC number: 225-768-6	REACH registration number: 01-2119519239-36-XXXX	
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319 Carc. 2 - H351		Classification (67/548/EEC or 1999/45/EC) Carc. Cat. 3;R40 Xn;R22 Xi;R36	

ETHANEDIOL			<1%
CAS number: 107-21-1	EC number: 203-473-3		
Classification Acute Tox. 4 - H302		Classification (67/548/EEC or 1999/45/EC) Xn;R22	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	Skin irritation.
Eye contact	Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Janitol Rapide

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid contamination of ponds or watercourses with washing down water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 0°C and 30°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 20 ppm 10 mg/m³

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³

Sk

Janitol Rapide

WEL = Workplace Exposure Limit

Sk = Can be absorbed through skin.

Ingredient comments

EU = Indicative Values according to Commission Directive 91/322/EEC.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

DNEL	Consumer - Oral; Long term systemic effects: 28 mg/kg/day
	Professional - Inhalation; Short term systemic effects: 2.8 mg/m ³
	Professional - Inhalation; Long term local effects: 2.5 mg/m ³
	Consumer - Inhalation; Short term systemic effects: 1.5 mg/m ³
	Professional - Inhalation; Long term systemic effects: 2.5 mg/m ³
	Consumer - Inhalation; Long term local effects: 1.5 mg/m ³
	Professional - Inhalation; Short term systemic effects: 2.5 mg/m ³
	Professional - Inhalation; Short term local effects: 2.5 mg/m ³
PNEC	- Fresh water; 2.2 mg/l
	- Soil; 0.72 mg/kg
	- STP; 43 mg/l
	- Marine water; 0.22 mg/l
	- ; Intermittent release 1.2 mg/l

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL	Industry - Inhalation; Long term local effects: 1 mg/m ³
	Consumer - Inhalation; Long term local effects: 1 mg/m ³

COCAMINE OXIDE (CAS: 68955-55-5)

DNEL	Professional - Dermal; Long term systemic effects: 11 mg/kg/day
	Professional - Inhalation; systemic effects: 15.5 mg/m ³
	Consumer - Dermal; Long term systemic effects: 5.5 ppm
	Consumer - Inhalation; systemic effects: 3.8 mg/m ³
	Consumer - Oral; Long term systemic effects: 0.44 mg/kg/day
	Professional - Combined; local effects: 0.045 mg/cm ²
	Consumer - Dermal; local effects: 0.045 mg/cm ²
PNEC	- Fresh water; 0.0335 mg/kg
	- Marine water; 0.00335 mg/l
	- water; Intermittent release 0.0335 mg/l
	- Soil; 1.02 mg/kg
	- STP; 24 mg/l

REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE

DNEL	Professional - Dermal; Long term systemic effects: 5.3 mg/kg/day
	Professional - Inhalation; Long term systemic effects: 3.8 mg/m ³
	Consumer - Dermal; Long term systemic effects: 2.7 mg/kg/day
	Consumer - Inhalation; Long term systemic effects: 0.9 mg/m ³
	Consumer - Oral; Long term systemic effects: 0.3 mg/kg/day

Janitol Rapide

PNEC

- Marine water; 0.0003 mg/l
- Soil; 0.0041 mg/kg
- Fresh water; 0.03 mg/l
- Sediment (Freshwater); 0.108 mg/kg
- Intermittent release; 0.042 mg/l
- STP; 9.9 mg/l
- Sediment (Marinewater); 0.0108 mg/kg

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE (CAS: 63449-41-2)

DNEL

Workers - Inhalation; Long term systemic effects: 3.96 mg/m³
 Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day
 General population - Inhalation; Long term systemic effects: 1.64 mg/m³
 General population - Dermal; Long term systemic effects: 3.4 mg/kg/day
 General population - Oral; Long term systemic effects: 3.4 mg/kg/day

PNEC

- Fresh water; 0.0009 mg/l
- Marine water; 0.00096 mg/l
- Intermittent release; 0.00016 mg/l
- STP; 0.4 mg/l
- Sediment (Freshwater); 12.27 mg/kg
- Sediment (Marinewater); 13.09 mg/kg
- Soil; 7 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Reddish.

Janitol Rapide

Odour	Characteristic.
Odour threshold	Not determined. Not determined.
pH	pH (concentrated solution): 12-13
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Scientifically unjustified. : : Scientifically unjustified.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.021-1.041 @ 25°C
Solubility(ies)	Soluble in water.
Partition coefficient	Scientifically unjustified.
Auto-ignition temperature	Scientifically unjustified.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Scientifically unjustified.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	Not relevant.
-------------------	---------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	The following materials may react with the product: Acids.
------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
-----------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not applicable.
------------------------------------	-----------------

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid freezing.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Strong acids.
--------------------	---------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
----------------------------------	---

SECTION 11: Toxicological information

Janitol Rapide

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 16,393.44262295

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 594.59459459

Skin corrosion/irritation

Human skin model test Cell Viability (%) 79 4 hrs

Serious eye damage/irritation

Serious eye damage/irritation Irritating.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity There is no evidence that the product can cause cancer.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard based on chemical structure.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Irritating to skin.

Eye contact Irritating to eyes.

Toxicological information on ingredients.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,780.0

Species Rat Rat

Notes (oral LD₅₀) LD50 > 1780 < 2000 mg/kg bw

ATE oral (mg/kg) 1,780.0

Acute toxicity - dermal

Species Rat

Janitol Rapide

ATE dermal (mg/kg) 3,300.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LOAEC ca. 30 mg/m³ air

ATE inhalation (vapours mg/l) 11.0

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation H318

Respiratory sensitisation

Respiratory sensitisation : Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation - : Conclusive data but not sufficient for classification.

Germ cell mutagenicity

Genotoxicity - in vitro Conclusive data but not sufficient for classification.

Genotoxicity - in vivo Conclusive data but not sufficient for classification.

Carcinogenicity

Carcinogenicity Conclusive data but not sufficient for classification.

Reproductive toxicity

Reproductive toxicity - fertility Conclusive data but not sufficient for classification.

Reproductive toxicity - development Conclusive data but not sufficient for classification.

Specific target organ toxicity - single exposure

STOT - single exposure Conclusive data but not sufficient for classification.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Conclusive data but not sufficient for classification.

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 795.0

Species Rat Rat

ATE oral (mg/kg) 795.0

Acute toxicity - dermal

Janitol Rapide

Acute toxicity dermal (LD₅₀ 400.0 mg/kg)

Species Rat Rabbit

ATE dermal (mg/kg) 1,560.0

Skin corrosion/irritation

Animal data Primary dermal irritation index: 6.29

SECTION 12: Ecological Information

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

12.1. Toxicity

Toxicity The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

Ecological information on ingredients.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >100 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: <100 mg/l, Algae

Acute toxicity - terrestrial LC₅₀, 14 days, 14 days: 156 mg/kg, Eisenia Fetida (Earthworm)

Chronic toxicity - fish early life stage , 28 days, 28 days: >=36.9 mg/l, Brachydanio rerio (Zebra Fish)

Chronic toxicity - aquatic invertebrates , 21 days, 21 days: 25 mg/l, Daphnia magna

SODIUM HYDROXIDE

Acute toxicity - fish , : , LC₅₀, 96 hours: 125 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, : 76 mg/l, Daphnia magna

Acute toxicity - microorganisms EC₅₀, : 22 mg/l,

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

Acute aquatic toxicity

LE(C)₅₀ 0.01 < L(E)C50 ≤ 0.1

M factor (Acute) 10

Janitol Rapide

Acute toxicity - fish	LC50, 96 hours, < 96 hours: 1 mg/l,
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours, < 48 hours: 1 mg/l, Daphnia magna
Acute toxicity - aquatic plants	IC ₅₀ , 48 hours, < 48 hours: 1 mg/l, Freshwater algae
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: 7.75 mg/l, Activated sludge
Acute toxicity - terrestrial	NOEC, 14 days: 1000 mg/l, mg/kg, Eisenia Fetida (Earthworm)
<u>Chronic aquatic toxicity</u>	
M factor (Chronic)	1

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Scientifically unjustified.

Ecological information on ingredients.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Bioaccumulative potential : 1.8 (28d), Lepomis macrochirus (Bluegill)

12.4. Mobility in soil

Mobility The product is soluble in water. The product is non-volatile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment None known.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Janitol Rapide

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. No specific disposal method required. Reuse or recycle products wherever possible. The following information is provided from exposure scenario(s) received from suppliers for the listed substances. The figures have been calculated using EU standard models & are not based on local conditions. Note that more than one product used on site might contain these substances. Also note the Trade Effluent Consent and/or Environmental Permit may have restrictions below these figures so it is recommended that you consult your local waste water treatment company. Contains AMINES C12-18 ALKYLDIMETHYL, N-OXIDES Maximum discharge of product per day 330L

SECTION 14: Transport information

Road transport notes Not classified.

Rail transport notes Not classified.

Sea transport notes Not classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Dangerous Substances Directive 67/548/EEC.
 Dangerous Preparations Directive 1999/45/EC.
 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Janitol Rapide

SECTION 16: Other information

General information	Only trained personnel should use this material.
Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	11/09/2015
Revision	3
Supersedes date	20/08/2015
Risk phrases in full	R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R35 Causes severe burns. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Notes for Risk Phrases and Hazard Statements in Full	The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.